
retigo[®]

CHEF'S GUIDE

for easy operation of Retigo Vision combi ovens





THANK YOU FOR CHOOSING RETIGO

We are introducing the second edition of the Retigo Chef's guide – a small guide for those times, when you will create delicious meals for your customers or boarders. This publication is brought to you by Retigo's professional chefs and it contains the most commonly used cooking procedures used with the Retigo Vision combi ovens. Here you can find a range of preparation styles of common meats, cooking procedures for side dishes and vegetables, pastry baking as well as some foreign recipes and techniques.

In the Chef's guide, we have also included a brief description of basic controls of Retigo Blue Vision and Orange Vision combi ovens to help you understand the wide range of their functions and settings. The book is mainly intended for those users, who are already familiar with the recipes; therefore only cooking procedures for ingredients prepared in the Retigo Vision combi ovens are presented here.

Please note that Retigo Chef's guide is not a user manual for the combi oven; it is only intended as a guide and inspiration for working with Retigo Vision combi ovens. For trouble free use of the combi oven and in order to make the best use of the Retigo Chef's guide, please read the user manual for the combi oven of your type, which was supplied with the appliance.

Let us thank you for your support of the Retigo firm - Czech manufacturer of gastronomic appliances - and wish you many tasty and delicious experiences in the exciting field of gastronomy.

We wish you every success in your creative endeavours.

Bon appetite!

The RETIGO Team

Pork

Beef

Poultry

Fish

Side dishes

Sweet dishes

Desserts

Modern gastronomy

International cuisine


Gastro containers

Capacity tables



Blue Vision

Control panel of the combi ovens



Note: Retigo Chef's guide is not a user manual for the combi oven as it is only intended as a guide and inspiration for using Retigo Vision combi ovens. For trouble free use of the combi oven and making the best of the Retigo Chef's guide, please read the user manual for the combi oven of your type, which was supplied with the appliance.

Operation and working modes - Blue Vision

Basic control buttons

The Retigo Blue Vision combi oven is equipped with a touch control panel. Individual functions are selected in a simple way by "tapping" slightly the desired symbol on the display or the button of the required food preparation mode.

In the upper part of the panel above the display, there are three buttons for selection of the cooking mode; below the display "VISION AGENT" and "START/STOP" buttons are located.



Hot Air mode button

When pressed, cooking parameters are set in the following way:

Cooking time: 30 min. | Chamber temperature: 180 °C | Humidity: 0 %

• Time values can be changed in the range from 1 min. to 23 hr. 59 min. • The temperature can be changed in the range 30–300 °C • Use: Baking, frying, grilling, cuisine à la minute • Replaces pan/oven roasting, deep frying etc.



Hot Air with Steam mode button

When pressed, cooking parameters are set in the following way:

Cooking time: 30 min. | Chamber temperature: 160 °C | Humidity: 50 %

• Time values can be changed in the range from 1 min. to 23 hr. 59 min. • Temperature can be changed in the range 30–300 °C • Use: Slow baking (meat, cakes), baking meals • Replaces baking with continuous need of basting or preparation that requires certain humidity and hot air treatment at the same time, etc.



Steam mode button

When pressed, cooking parameters are set in the following way:

Cooking time: 30 min. | Chamber temperature: 99 °C | Humidity: 100 %

• Time values can be changed in the range from 1 min. to 23 hr. 59 min. • Temperature can be changed in the range 30-300 °C • Use: Cooking • Replaces cooking in water.



VISION AGENT button

• The button displays help for any icon. Press the Agent button and the icon you need to explain. The help is displayed.




START/STOP button

Starts/stops the cooking process.

Blue Vision

Vision Touch display



Other co	entrol icons and their fun	oction
	Time setting	• Allows setting of cooking process time in the range 1 min. – 23 hr. 59 min.
6	Core temperature setting	 Allows setting of core temperature (30–100 °C). When the set temperature is reached, the cooking process ends.
	Temperature setting	• Allows setting of cooking process temperature in the range allowed by individual cooking modes.
S	Special function	Allows setting of special functions of the combi oven.
	Automatic start	* Allows setting of time of automatic start.
C&H	Cook&Hold	Allows maintaining the required temperature of the food after preparation.
Δt	Delta T	Ensures constant difference between core and chamber temperatures.
9	Permanent lighting	Setting of permanent illumination of the cooking chamber.
144	Manual moistening	By pressing this icon you increase the humidity level in the cooking chamber.
	Acoustic signal	Setting of acoustic signal after completion of individual program steps.

Flap

Half power

• Allows ventilation of excessive moisture from the cooking chamber by opening the flap.

Fan time control • Sets the fan to special rotation mode for careful baking or maintaining the dispensing temperature of food.

Pre heating/pre cooling • Selects the mode of automatic pre heating of the chamber prior to cooking, or automatic pre cooling in case of excessive initial temperature.

• Select the half power consumption mode.

Fan RPM • Sets rotation speed of the fan; 5 possible speeds.

Golden Touch • Ensures quick baking of the meal as the last step of the cooking process.

Blue Vision

Meaning of touch display icons

The large touch panel with colour display ensures easy and intuitive control. Unique production technology ensures registration of pressure level, allowing perfect function of the panel even in demanding conditions, which are quite usual in a kitchen.

Basic navigation screen allows quick programme selection, selection of supplementary functions or switching to a manual mode. All control functions are easily accessible via colour 3D icons. These icons are always organized on the control panel in such a way to be large enough, easily readable and, above all, well arranged. VISION TOUCH thus guarantees easy operation even for users without experience in working with this kind of appliance.

Quick and easy maintenance is assured thanks to the smooth seamless surface. Special materials ensure high durability and very long lifetime of the panel.



Automatic Cleaning mode button

• Allows selection from several programs for automatic cleaning of the combi oven.



Help mode button

• Displays the user manual for the combi oven.



Service mode button

• Allows selection of the combi oven's service functions (date/time setting, sound setting or access for service technicians).



Easy Cooking mode button

• Allows selection of suitable technology based on the type of food you want to cook. Easy Cooking is a technology developed by a team of Retigo's professional chefs.



Programmes mode button

• Allows selection of preset programmes and creation, assortment, display and selection of last ten used programmes, or creation of custom categories for favourite programmes.



Manual Setting mode button

• Allows manual setting and change of cooking process parameters (time, temperature, humidity, core temperature, special functions).




Extras mode button

• Allows access to the combi oven's special functions, e. g. overnight cooking, timing of individual shelves or display of HACCP data of a specific cooking process.

7

Orange Vision Control panel of the combi oven



Notice: Retigo Chef's guide is not a user manual for all combi ovens; it is only intended as a guide and inspiration for using the Retigo Vision combi ovens. For trouble free use of the combi oven and making the best of Retigo Chef's guide, please read the user manual for the combi oven of your type, which was supplied with the appliance.

Orange Vision

Basic control buttons

The combi oven is equipped with a touch control panel with numerical display. Specific functions are easily selected by "tapping" slightly the required icon on the panel and setting the required values using arrows in the lower part of the panel or the button corresponding to the required cooking mode. In the upper part of the panel, above the display, there are three buttons for selection of cooking mode; below the display, there are the "MAGIC", "START/ STOP" and "arrow" buttons.



Hot Air mode button

• Replaces pan/oven roasting, deep frying etc. (for more information see Blue Vision).



Hot Air with Steam mode button

• Replaces baking with continuous need of basting, or preparation of food requiring certain humidity level.



Steam mode button

• Replaces cooking in water (for more information see Blue Vision).



MAGIC mode button

• Allows confirmation, selection and setting of special functions (e. g. Manual Cleaning, Info, Setting in the "Extras" menu).



START/STOP button

• Starts/stops the cooking process.



Arrow buttons



• Allow setting of values or scrolling within individual submenus, e. g. in the "Extras" section.

Orange Vision

Touch display - basic screen after power on





Programme Selection mode button

Allows selection or editing of preset programmes for cooking.



Time Setting mode button

• Allows manual setting and change of the duration of the cooking process in the range 1 min. – 23 hr. 59 min.



Temperature Setting mode button

• Allows manual setting and change of the cooking process temperature in the range allowed by specific modes.



Flap mode button (optional)

• Allows opening/closing the flap when ventilation of excessive moisture from the cooking chamber is required.



Extras mode button

Allows selection of the combi oven's special functions.

Orange Vision

Meaning of icons on the touch panel

The Orange Vision combi ovens are equipped with the Vision Touch control panel with a LED display. This well arranged panel and display will guide you through simple programming and setup of the appliance. The most important basic functions of the oven are maintained here for trouble free cooking; moreover, you can store up to 99 programmes consisting of 9 steps. Quick and easy maintenance is assured thanks to the smooth seamless surface. Special materials ensure high durability and very long lifetime of the panel.



Registration of Programme/Step mode button

• Allows storing set parameters to a programme/step.



Core Temperature Setting mode button

• Allows setting of core temperature (30–110 °C). When this value is reached, the cooking process ends.



Humidity Setting mode button

• Allows setting and change of humidity level in the cooking chamber in the "Hot Air with Steam" mode.



Manual Moistening mode button

• Allows manual increasing the humidity level in the cooking chamber in the "Hot Air" and "Hot Air with Steam" modes.




Pre heating/Pre cooling mode button

• Selects the mode of automatic pre heating of the chamber prior to cooking, or automatic pre cooling in case of excessive initial temperature.

Cooking in the combi oven

Every combi oven utilizes three basic modes: Hot Air, Steam and Combination (hot air with steam). Each mode serves for different technology of food preparation. You can get the idea of when and which mode to select from the following graph, if you are a cooking beginner.



Temperature probe

The temperature probe is a basic piece of equipment of Retigo Vision combi ovens. Blue Vision is equipped with a 4 point probe. Orange Vision has a single point probe. The probe serves for measurement of temperature inside the food. Using the probe, you ensure that the inside of the food is finished or prepared exactly as desired. It is mainly used for large portions of meat, for meat with bone or beef steaks.



Tables and icons

Explanation of symbols

Tables will guide you through the entire Chef's guide. Here you can see a sample table, which explains used symbols.

STEP		%		0		1
1.	Î	-	99°C	15	-	-
2.	11 îr	70 %	130°C	60	-	add base
3.	11 1	80 %	140°C	30	-	-

RECOMMENDED GASTRO CONTAINERS



beef fillet, beef stew, goulash

STEP

• Number and order of steps defining given cooking technology.



· Cooking mode in a given step.



Humidity

• Humidity level inside the cooking chamber (combi mode only).



Temperature

• Recommended temperature setting.



Time/min.

• Recommended time setting.



• Recommended setting of core temperature.



Other

• Recommended extra functions.



Note

• Icon of selected extra function. See page 5.



What else can be prepared this way...

• Here you can find other meals, which can be prepared in the same manner.



• Useful tips to make the prepared meal just perfect.










Steamed	17
Stew	17
Roast	19
Grilled	19
Recommended temperatures	10

• BEEF CUTS •





Beef brisket

STEP	%		0		1
1.	-	99 °C	-	90 °C	-
2.	-	110 °C	-	99 °C	-

RECOMMENDED GASTROCONTAINERS: Classical GN 40 - perforated/full



beef tongue, beef tail

Beef tripe

STEP	%		1		-
1.	-	99 °C	150	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN-perforated

TIP: Rinse the food several times during the cooking process using integrated shower.

Beef rolls

STEP		%	1.1	0	Ch ?	4
1.		-	200 °C	10	-	add base
2.	11 1	50 %	160 °C	60	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN 60/100-full



beef fillet, beef stew, goulash





VISION TIP

- Keep meat well basted. Be careful about overfilling the gastro container you could get scalded during manipulation.
- When grilling meat that has been automatically marinated before, you must select lower cooking temperature as meats prepared in this manner tend to get brown more intensively.
- For preparation on a grill, it is best to use a grill grating and place a full gastro container with salt into the lower part of the oven to capture the dripping fat.
- Low temperature baking baking in a combi oven at lower temperature allows maintaining all nutritional values of the meat to the maximum extent. The meat is juicy inside with a minimum weight loss. Using this method, even meat of lower quality can be prepared.
- Overnight baking this technology can be used if you want to achieve maximum yield and juiciness of the prepared meat. By overnight baking, you can also save electricity costs thanks to night rates. Another advantage is maximum utilization of the combi oven, which can be in operation 24 hours per day.

Roast beef

STEP		%	:16:	0		1
1.	1111	-	140 °C	-	55 °C	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 40

Tip: Roast meat in a pan first and then introduce the temperature probe in it. Recommended core temperature is 53–55 °C, if you wish to get pink meat core.

Steamship

STEP		%	:16:	1		4
1.	11 II	50 %	120 °C	-	60 °C	

RECOMMENDED GASTROCONTAINERS: stainless wire shelving

Tip: We recommend wrapping the meat with a kitchen foil during roasting.

Rumpsteak

STEP	%	[:N:	0		4
1.	-	230 °C	-	see the table below	

Doneness	Recommended temperature
Rare	47 °C
Medium rare	50 °C
Medium	55 °C−60 °C
Medium well	65 °C−70 °C
Well done	75 °C a více

RECOMMENDED GASTROCONTAINERS: RETIGO grill or enamelled GN



Rib eye steak, T-bone steak, Filet Mignon, Prime Rib, Porthouse steak, Rumpsteak, Tournedos, hamburgers




PORK

Steamed	23
Stew	23
Roast	23
Fried	25
Grilled	27
Recommended temperatures	27

• PORK CUTS •





Steamed pork knuckle

STEP	%	:N.	0		4
1.	-	99 °C	-	95 °C	-

RECOMMENDED GASTROCONTAINERS: Classical GN 40 - perforated/full



steamed pork meat, smoked meat, frankfurte

Pork stew

STEP		%	-1	0		
1.		-	99 °C	15	-	add base
2.	11 1	80%	160 °C	40	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN 60-full



Szegedin goulash

Stewed pork fillet

STEP		%	:16:	0	WA ?	4
1.	1111	-	210 °C	15 - roast	-	add base
2.		50 %	160 °C	40 - stew	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 20 for roasting, classical GN 60/100 for stewing



stewed pork rolls

Roast pork neck 1,5 kg

STEP		%	: N.	0		
1.		-	99 °C	25	-	-
2.	11 fr	50 %	140 °C	60	85–96 °C	

RECOMMENDED GASTROCONTAINERS: Classical GN 60



stuffed pork belly, pork roll

Meat balls

STEP		%	1.16	0		4
1.	W Î	20 %	140 °C	20	-	-
2.		-	200 °C	15	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 40



Cevapcici, Shashlik, stuffed peppers, stuffed cabbage leaves

Hamburgers

STEP	%		1		4
1.	-	220 °C	12–15	-	

RECOMMENDED GASTROCONTAINERS: Enamelled GN 20/RETIGO bake

Meatloaf

STEP		%		0		
1.	11 1	80 %	140 °C	45	-	-
2.			210 °C	10–15	recommended temp.	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 40

Roasted sausages

STEP		%	:18:	1		-
1.	1111	-	220 °C	15	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 20/RETIGO bake

Roast pork knuckle

STEP		%		1		4
1.	Î	-	99 °C	60	-	-
2.	11 Îî	50 %	140 °C	50	-	-
3.	1111	-	220 °C	15	recommended temp.	

RECOMMENDED GASTROCONTAINERS: Stainless wire shelving, classical GN 60



roast pork belly, roast pork ribs

Roast

Roast pork shoulder

STEP		%	1	0		4
1.		-	99 °C	10	-	-
2.	W î	60 %	150 °C	50	-	2.1
3.	1111	-	210 °C	15	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN 60/100



Roast pork cubes

Pork schnitzel

STEP		%	:N:	0		
1.	!!!!	-	220 °C	8–10	-	

RECOMMENDED GASTROCONTAINERS: Classical GN 20, RETIGO bake



chicken schnitzel, fried fish fillet, fried cheese, fried cauliflower



VISION TIP

- For frying in the combi oven, you can use enamelled baking plates, Retigo bake Teflon GN containers or enamelled gastro containers. Thus you get perfect colour on the bottom side of the meal.
- Using a disperser, apply an even layer of frying oil or grease on both sides.
- There is no need to turn the meat around during frying.
- To get a golden colour of the meat, you can use palm oil (e. g. Carotino) or grease intended for frying in combi ovens (e. g. Rama combi profi or Rama combi phase).
- To get crisp steaks, you must ventilate excessive moisture out by opening the flap.





VISION TIP

- For pork knuckle or brisket, cook the meat in steam first; then cut the skin to small squares and add coarse-grained sea salt. Thus you get maximum crispiness in the last step of preparation.
- For perfect grilling, you must use grill grating, with which you get a regular imprint on the meat just as on an actual grill. Place a gastro container with salt to the lower part of the oven to capture dripping fat. With the four point temperature probe (Blue Vision models only), you can exactly measure the temperature inside the meat. Please note that the probe should be introduced into the coarsest part of the meat (near the bone etc.).
- Prior to overnight cooking of pork with skin (knuckles, brisket), we recommend cooking the meat in steam for 20 min. at 99°C and then partially cut the skin. Overnight baking depends on careful preparation of food at lower temperature with the maximum yield. By overnight baking, you can also cook vacuum-prepared meals.

Grilled Grilled

Pork tenderloin medallions (Steaks)

STEP		%	il.	0		4
1.	1111	-	220 °C	8	-	-

RECOMMENDED GASTROCONTAINERS: RETIGO Grill (or enamelled GN)



stuffed pork tenderloin, fillet mignon, skewers, pork steaks



RECOMMENDED TEMPERATURES FOR PORK MEAT

Meat t e	Tem erat re	Doneness
Leg	75–80 °C	medium
Leg	85–92 °C	well done
Shoulder	80–85 °C	well done
Neck	80–85 °C	well done
Belly	82–87 °C	well done
Knuckle	85–95 °C	well done
Cutlet	70–75 °C	medium
Cutlet	75–80 °C	well done



RECOMMENDED TEMPERATURES FOR OTHER TYPES OF MEAT

Meat t e	Tem erat re	Doneness
Veal	65 °C	medium
Lamb shoulder	75–80 °C	well done
Lamb saddle	50−55 °C	medium
Lamb leg	78−85 °C	well done
Mutton saddle	70−75 °C	medium
Mutton saddle	80 °C	well done
Mutton leg	75–78 °C	medium
Mutton leg	82–85 °C	well done

Re ommendedmeat tem erat resa I to t e ORECA se ment Commer ial a ilities as s ool anteens rest omes os italet m stallo or i er tem erat re le els or re aration





POULTRY

Steamed	31
Stew	31
Roast	31
Fried	33
Grilled	33
Recommended temperatures	33

• POULTRY CUTS •







RECOMMENDED GASTROCONTAINERS: stainless wire shelve+full clasicall GN on the bottom of the cooking chamber







1.

STEP

99 °C

90 °C

blanched chicken breast, chicken terrine

Stew chicken

STEP		%		0		1
1.	11 1	50 %	190 °C	10–15	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN 60/100-full, It is needed to stir several time during the cooking process.

Roast chicken

STEP		%	1	0	(4)	4
1.		50 %	140 °C	20	-	-
2.	1111	-	210 °C	20	-	

RECOMMENDED GASTROCONTAINERS: Classical GN 60-full



roast chicken quarters, roast rabbit

Roast goose

STEP		%		1		4
1.	1111	-	200 °C	15	-	-
2.		-	99 °C	10	-	-
3.	W Î	40 %	135 °C	80	-	-
4.	1111	-	145 °C	30	-	-

RECOMMENDED GASTROCONTAINERS: Stainless wire shelves



Roast duck, roast turkey – the best technology for roast turkey is Overnight cooking





VISION TIP

- For frying in the combi oven, you can use enamelled baking trays, Retigo bake Teflon GN containers or GN 20 enamelled gastro containers. The reason is that you want to get perfect colour even on the bottom side of the meal. Using a disperser, apply an even layer of frying oil or grease on both sides. There is no need to turn the meat around during frying. To get a golden colour of the meat, you can use palm oil (e. g. Carotino) or grease intended for frying in combi oven (e. g. Rama combi profi or Rama combi phase). To get crisp steaks, you must ventilate excessive moisture by opening the flap.
- For grilling of chicken meat, we recommend using Retigo chicken grill.
 - When baking goose or duck, place the meat on a stainless steel grill to get an evenly golden crust.
- For preparation on a grill, it is best to use a grill grating and place a full gastro container with salt into the lower part of the oven to capture the dripping fat

Fried

Chicken/Turkey schnitzel

STEP		%		1		-
1.	1111	-	220 °C	8–10	-	

RECOMMENDED GASTROCONTAINERS: Retigo bake



breaded chicken wings, chicken nugets, Cordon Bleu

Chicken drumsticks

STEP		%	1	0		4
1.	11 1	50 %	190 °C	8–10	-	-
2.	1111	-	220 °C	5–6	-	

RECOMMENDED GASTROCONTAINERS: Retigo bake

Chicken/Turkey steaks

STEP		%	1	0		1
1.	1111	-	210 °C	6–8	-	-

DOPRECOMMENDED GASTROCONTAINERS: RETIGO grill (or enamelled GN), full classical GN on the bottom of the cooking chamber



All kind of chicken and turkey steaks



RECOMMENDED TEMPERATURES FOR POULTRY MEAT

Meat ty e	Tem erature	D neness
chicken	80 °C	well-done
duck	80–85 °C	well-done
goose	88–90 °C	well-done



FISH

Steamed	3.
Stew	37
Roast	3
Fried	37
Grilled	



VISION TIP

- For frying in the combi oven, you can use enamelled enamelled GN containers. Thus you get the perfect colour even on the bottom side of the meal. There is no need to turn the meat around during frying. To get a golden colour of the meat, you can use palm oil (e. g. Carotino) or grease intended for frying in combi oven (e. g. Rama combi profi or Rama combi phase). To get crisp steaks, you must ventilate excessive moisture by opening the flap.
- For preparation of frozen fish, you need longer cooking times.
- For preparation of fish semi products, we recommend following the method of preparation given by the manufacturer.
- For fish steaks, we recommend using the temperature probe to prevent drying up.



Concurrently with preparation of fish, you can also prepare other types of meals using the same procedure; you do not have to worry about mixing the odours or tastes.

Poached salmon

STEP	%		0		-
1.	-	80 °C	-	52 °C	-

RECOMMENDED GASTROCONTAINERS: classical GN 60



poached fish fillet

Roast trout

STEP	%		0		
1.	40 %	160 °C	-	52 °C	-

RECOMMENDED GASTROCONTAINERS: Retigo bake, enamelled GN 20



Roast fish fillet

Breaded fish fillet

STEP	%	1	0		4
1.	-	220 °C	8–12	-	

RECOMMENDED GASTROCONTAINERS: Retigo bake, enamelled GN 20

Shark steak

STEP		%	1	0		4
1.	1111	-	210 °C	8–10	-	-

RECOMMENDED GASTROCONTAINERS: Retigo grill / Retigo bake



Salmon steak, Tuna steak





SIDE DISHES

Steamed	40
Fried	43
Gratin	43
Grilled	43

Steamed

Potatoe

STEP		%	:16:	0		-
1.	Î	-	99 °C	35	-	-

RECOMMENDED GASTROCONTAINERS: dclassical GN 40-100-perforated

Potatoe with skin

STEP	%		0		4
1.	-	99 ℃	45–50	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 40-100-perforated

Rice

STEP	%	1	0	Ch ?	
1.	-	99 °C	40–45	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 60-100

Czech dumplings

STEP	%		0		
1.	-	99 °C	23	-	-

RECOMMENDED GASTROCONTAINERS: Form for dumplings, classical GN 40-full/perforated

Potato dumplings

STEP		%		0		1
1.	THE STATE OF THE S	-	99 °C	25–30	-	-

RECOMMENDED GASTROCONTAINERS: Form for dumplings, classical GN 40-full/perforated

Stuffed potato dumplings

STEP	%	:16:	0		-
1.	-	95 °C	25–30	-	-

RECOMMENDED GASTROCONTAINERS: Classical GN 40-full/perforated

Frozen vegetable-pieces

STEP	%		1		-
1.	-	99 °C	6–10	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 40-100-perforated

Hard boiled eggs

STEP	%	E.M.	0		
1.	-	99 °C	19	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 40-100-perforated

Steamed spinach – steam leaves vegetable

STEP		%	1	0		4
1.	Î	-	99 °C	3–5	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 40-100-perforated

Tomatoes for peeling

STEP	%	1	0	Ch ?	450
1.	-	99 °C	1–2	-	-

RECOMMENDED GASTROCONTAINERS: classical GN 40-100-perforated

Fresh vegetable diced (carrots, celery, parsley)

STEP	%	1	0		4
1.	-	99 °C	10–14	-	-

Note: Broccoli - steam, 99 °C, 7 min.



VISION TIP

For the preparation of rice in the combi oven, we use a 1:1.2 rice to water ratio (1.2 litre of water for 1 kg of rice). Use warm or hot water to shorten the cooking time. The amount of water depends on the rice type – parboiled, round, long grain etc.



- When cooking several kinds of side dishes at the same time using the same technology, we recommend using the Retigo shelf timing function, which manages cooking of each side dish separately.
- To get the perfect shape of dumplings or Carlsbad dumplings, use the dumpling gastro container (wave shaped).
- Vegetables cooked in steam maintain all their nutritional values, vitamins and natural colours.
- When cooking frozen potato products, there is no need of adding oil. For preparation of chips or fried potatoes, use Retigo deep frying basket. To achieve the maximum crispiness, you need to open the flap. (



- For grilled vegetables, use Retigo grill grating, which helps you get a regular imprint of the grill on the vegetables just as from common grill.
- For frying in the combi oven, use enamelled GN containers. The reason is that you want to get perfect colour even on the bottom side of the meal. Using a disperser, apply an even layer of frying oil or grease on both sides. There is no need to turn the meat around during frying. To get a golden colour of the meat, you can use palm oil (e.g. Carotino) or grease intended for frying in combi oven (e.g. Rama combi profi or Rama combi phase). To get crisp steaks, you must ventilate excessive moisture by opening the flap.
- For frying pre-fried potato products, no oil needs to be added; pre-fried products already contain some oil and this amount is sufficient for frying in the combi oven.
- For preparation of pasta with charcuterie, we recommend adding 1/3 of eggs directly into the pasta and the remaining 2/3 into the milk.
- After 15 minutes, wipe off water drops on the bottom of the gastro container to get even quick baking effect.

French Fries

STEP		%	:16:	1		1
1.	1111	-	220 °C	8–10	-	-

RECOMMENDED GASTROCONTAINERS: Retigo frit



potatoe wedges, roast potatoes

Fried cauliflower

STEP		%	:16:	0		
1.	1111	-	220 °C	8–10	-	-

RECOMMENDED GASTROCONTAINERS: Retigo bake/ enamelled GN 20

Poached eggs

STEP		%	1	1	and ?	
1.	1111	-	170 °C	10–12	-	

RECOMMENDED GASTROCONTAINERS: Retigo snack



All kinds of omeletts

Gratin potatoes

STEP		%	:N:	1		4
1.	1111	-	140 °C	20	-	
2.	1111	-	210 °C	15	-	F

RECOMMENDED GASTROCONTAINERS: Enamelled GN 60



bread puding, rice pudding, lasagne

Grilled vegetable

STEP		%	1	0		4
1.	!!!!	-	220 °C	8	-	-

RECOMMENDED GASTROCONTAINERS: Retigo grill



zucchini, peppers, fennel, tomatoes, aubergine





SWEET DISHES

Steamed	
Bake	4



Fruit dumplings

STEP	%	:16:	1		1
1.	-	85 °C	12	-	-

RECOMMENDED GASTROCONTAINERS: classical GN - perforated

Sweet potato dumplings

STEP		%		1		4
1.	Î	-	95 °C	25	-	-

RECOMMENDED GASTROCONTAINERS: classical GN - perforated, Dumplings form

Buns

STEP		%	:16:	0		4
1.	1111	-	155 °C	13	-	-
2.		20 %	170 °C	6	-	-
3.		30 %	180 °C	5	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 40/60

Proofing

STEP	%	:16:	0	Ch ?	4
1.	-	40 °C	15–20	-	-

Tip: It depends on the amount of a dough. Larger amount of dough->longer proofing time.



VISION TIP

- All stuffed cakes, pies and pound cakes, where we wish to achieve golden colour on the bottom, are to be baked in enamelled gastro containers.
- When adding ingredients, we recommend following the manufacturer's procedure.
- For delicate cakes, you need to lower the fan speed.








DESSERTS

Rubbed dough	51
Whipped dough	51





VISION TIP

- All stuffed cakes, pies and pound cakes, where we wish to achieve golden colour on the bottom, are to be baked in enamelled gastro containers.
- When adding ingredients, we recommend following the manufacturer's procedure.
- For delicate cakes, you need to lower the fan speed.
- If you wish to get well baked product of golden colour, insert the gastro container to every other shelf to obtain the optimal air flow.

Cookies

STEP	9/0		1		-
1.	-	140 °C	30	-	2 1

RECOMMENDED GASTROCONTAINERS: Confectionary sheet, Retigo Bake, enamelled GN 20

Fruit souffle

1. 180 °C 20–25	STEP	%	1	0	Ch ?	4
	1.	-	180 °C	20–25	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 20/40

Muffins

STEP		%	1	1		-
1.	1111	-	160–180 °C	20–25	-	-

RECOMMENDED GASTROCONTAINERS: Enamelled GN 20/40

Proofing

STEP		%	:16:	0		
1.	Î	-	40 °C	10–12	-	-

Tip: It depends on the amount of a dough. Larger amount of dough ->longer proofing time.





MODERN GASTRONOMY

Banquet system	54-55
Regeneration	55 – 56
Sous-vide	56
Overnight cooking	57 – 58
Healthy nutrition	59

Banquet system of meal dispensing and regeneration.

The term "banquet" refers to collective dining on extraordinary, official or festive occasions, when meals and beverages are served to sitting guests. In practice, the banquet system means a comprehensive concept, which includes activities from the preparation of ingredients, cooking, cooling and maintaining up to the regeneration of prepared meals directly on plates.

Retigo offers, among other appliances, a range of blast chillers, which are an indispensable part of the banquet system.



VISION TIP

All regenerated meals must have the temperature required by the sanitary legislation of given country.

Banquet on plates

STEP		%	1	1		4
1.		10 %	130 °C	3	-	Ţ.°C
2.	11 1	20 %	130 °C	3	-	-
3.		30 %	130 °C	2	-	-
4.	11 Îr	40 %	130 °C	2	-	-

Banquet on plates with temperature core probe

STEP		%		1		4
1.	11 1	10 %	130 °C	3	-	Ţ.°C
2.	11 1	20 %	130 °C	2	-	-
3.	11 1	30 %	130 °C	3	-	-
4.	W Î	40 %	130 °C	-	79 °C	-

RETIGO provides banquet carts and thermo packages for comfortable and professional provision of this kind of services. Banquet carts and thermo packages are available for 1011, 1221, 2011 and 2021 models; 2021 allows heating up to 118 plates at the same time.

Regeneration by steam

STEP	%	il.	0		
1.	-	99 °C	10	-	-



potatoes, dumplings, rice, vegetable, steamed and stew meats

Regeneration by combination

STEP		%	-16-	0		4
1.	(3) ÎT	50 %	140 °C	-	75 °C	-



soups, sauces, gravy, goulash, roasted meats

Regeneration of fried meals

STEP		%	:1	0		-
1.	1111	-	160 °C	8–10	-	-



fried, grill and roast food



VISION TIP



All regenerated meals have to reach minimum temperature according to the local hygienic standard.

Sous-vide food preparation - cooking in the vacuum

Sous-vide – an original method of food preparation in vacuum; the ingredients maintain their full integrity thanks to long time cooking (up to 24 hours) at relatively low temperature (60–70 °C).

This method can be used for storage as well as cooking, but can also represent one of the branches of modern gastronomy, on which an entire cuisine concept could be based

Minimization of losses

Maximum utilization of the combi oven

Saves both time and money

Conformity to sanitary requirements to the maximum extent

Efficient use for Czech cuisine as well as foreign specialties

Easy preparation and minimum technological requirements

Salmon steak prepared using the sous vide method

Drip lime juice onto deboned salmon steaks, add dill, olive oil and salt, put into a vaccum package and place in the combi oven– steam cooking 70°C, 18–20 min. (depending on size).

Roe deer saddle in pistachio crust

Marinate a clean roe deer saddle in olive oil, rosemary, thyme and garlic, put into a vaccum package and place in the combi oven—steam cooking 60°C, 35–40 min. Then wrap in finely cut pistachios.

Fatback prepared using the sous vide method

Spice fatback with salt, pepper, caraway and garlic, put into a vacuum package and place in the combi oven—steam cooking 70°C, 10 hours; then take it out and bake to get crust.

BBQ pork chops

Spice pork chops with pepper, garlic and BBQ sauce, put into a vacuum package and place in the combi oven—steam cooking 65°C, 8 hours; when finished, bake until golden.

Pork knuckle

Spice pork knuckle with salt, pepper, garlic and caraway, put into a vacuum package and place in the combi oven—steam cooking 65° C, 10-12 hours; when finished, partially cut the skin and bake until golden.

Meat for goulash

Spice beef with salt, pepper, garlic and goulash spice, put into a vacuum package and place in the combi oven– steam cooking 70°C, 12–14 hours.

Overnight cooking

This type of preparation, especially for large pieces of meat, brings many advantages. Because meat is prepared in this manner at low temperatures, adequate humidity and long time, it keeps its natural juiciness a thus a common weight loss (about 20 % depending on type of meat). As an additional bonus you will save on water consumption. You can also save you electric bill expenses thanks to lower night rates.

Function **Overnight cooking** can be found in the Extras functions.



Additional functions regulate the speed of the ventilator. Half the speed of its revolution will assure more uniform baking thanks to lower and more regulated flow of hot air.

These recommendations can be applied using the **Low temperature cooking** functions as well.

These are the basic steps for setting up the Overnight cooking:

STEP













1.



35%

According to tables below

According to tables below

(1, 3h)



You will find recommended basic times and temperatures for different types of meats in the tables below also depending on the number of gastro containers inserted. Bold imprint means ideal times for specific times of meat.

Beef

• Front, back, bullion, venison, game) — in one layer of approximately 1,5 kg of meat. Beef must always be filled with fluid to the half and covered.

TIME	2GN	4GN	6GN	8GN	10GN
8:00	94 °C	94 °C	96 °C	97 °C	98 °C
9:00	92 °C	92 °C	93 °C	94 °C	95 °C
10:00	90 °C	90 °C	92 °C	93 °C	94 °C
11:00	88 °C	88 °C	89 °C	90 °C	91 °C
12:00	87 °C	87 °C	89 °C	89 °C	90 °C



• Tough parts such as rump, knuckle, tail, breast – one layer, do not cover

TIME	2GN	4GN	6GN	8GN	10GN
8:00	77 °C	78 °C	80 °C	81 °C	82 °C
9:00	76 °C	77 °C	78 °C	79 °C	81 °C
10:00	75 °C	76 °C	77 °C	78 °C	94 °C
11:00	73 °C	74 °C	76 °C	77 °C	91 °C
12:00	72 °C	73 °C	75 °C	76 °C	90 °C

Soft pork meat

• Bacon, bacon roll, shoulder, chop, cutlet – in one layer

TIME	2GN	4GN	6GN	8GN	10GN
8:00	75 °C	76 °C	78 °C	79 °C	80 °C
9:00	73 °C	74 °C	75 °C	77 °C	78 °C
10:00	71 °C	72 °C	73 °C	74 °C	76 °C
11:00	69 °C	70 °C	72 °C	73 °C	75 °C
12:00	68 °C	69 °C	70 °C	71 °C	73 °C

Poultry

• Goose, duck, turkey – one layer, do not cover

TIME	2GN	4GN	6GN	8GN	10GN
8:00	77 °C	78 °C	80 °C	81 °C	83 °C
9:00	74 °C	75 °C	76 °C	77 °C	78 °C
10:00	72 ℃	72 °C	73 °C	74 °C	76 °C
11:00	70 °C	71 °C	72 °C	73 °C	75 °C
12:00	69 °C	69 °C	71 °C	72 °C	74 °C

Should you desire to improve the color of your product, use the **GT icon** found in the **Extras functions**.



which could be

Temperatures may vary +- 4°C depending on the quality and ripeness of the particular meat.

Healthy nutrition

Catfish and salmon scroll with asparagus

Put a salmon fillet over a Catfish fillet, add salt, put some asparagus and a paprika strip, wrap into a roll and place in a gastro container. Place the container in pre heated combi oven and cook in steam at 99°C for 6–8 min. Serve with parsley potatoes and Dutch sauce.

Oaten risotto

Cut chicken breast into pieces, add onion, salt and oil and roast in the combi oven in hot air at 200°C for approx. 5 min. Then add soya and Worchester sauce, pour in water and stew slightly, add vegetables at your option – coloured paprika, corn or garlic – mix with scalded oat and stew in combination with 50% humidity at 140°C for 15–20 min.

Chickpea with spinach

Roast sieved sterilized chickpea slightly in the combi oven in hot air at 200°C for 5 min. Add spinach leaves and sliced garlic, pour in cream and stew slightly at 160°C for approx. 20 min. At the end of stewing add cashew nuts and mozzarella torn in pieces. When the cheese melts, you can serve the meal.

Cereal meatballs

Let oat flakes swell up in hot bouillon for approx. 30 min. Mix swelled flakes with minced meat, eggs, breadcrumbs and finely cut carrots and add salt, pepper, marjoram and garlic. Form meatballs and roast them in the combi oven in the combi mode at 140°C for approx. 20 min. and then roast in hot air at 180°C for 10 min. Serve with mashed potatoes.

Soya ćevapi

First prepare soya granulate following the instructions, squeezing excessive water from it. Add finely cut onion, squeezed garlic, paprika, chilli, eggs, pepper and salt and mash thoroughly. You can thicken the dough with breadcrumb to get the right consistency. Form small rolls from the mixture and put them into a gastro container; place the container in pre heated combi oven and roast in hot air at 160°C for 20 min. Serve with potatoes or mashed potatoes. You can add mustard and sliced onion.

Dumplings with tofu

Finely cut onion, fry it on grease, add tofu cut into small cubes and mix with rolls cut into cubes; mix in eggs and cut parsley. Spray a little of soya milk on the rolls and pour some whole meal flour on the rest; add salt, pepper or some nutmeg. Form round dumplings and mash them well so as they do not come apart during cooking. Put the dumplings in a greased gastro container and cook for 10–15 min. in steam at 85°C.

Millet with cabbage and smoked meat

Cook millet in salted milk; when it goes tender, strain it and mix with washed cut sauerkraut and, at the end, add smoked meat fried on onion. Add salt and pepper and put in the combi oven to roast at 170°C for approx. 20–25 min.









Austria

Rum und Eggnog Kugelhopf

Mix a half of semi smooth flour with eggnog and yeast and stir thoroughly. Mash butter with sugar and slowly add eggs, a pinch of salt, cinnamon and the rest of the flour and mix with the first dough. Add raisins dipped in rum overnight. Grease the cake tin and pour in grated almonds. Bake in the combi oven at 180 °C for approx. 30–35 min.

Guten Appetit - Bon appetite!

Belgium



Rabbit saddle on cherry beer

Marinate rabbit saddles in peanut butter, roast intensively in a pan and put in an enamelled GN container; place in the combi oven and roast in hot air at 180 °C for 10 min. When finished, take it out and pour in cherry beer, which starts evaporating. Cover the tin with kitchen foil and leave stand for 5 min., then baste with veal bouillon and put back in the combi oven. Finish roasting in hot air at 180 °C for approx. 7 min.

Paté alá Foie Gras

Cut goose liver into pieces, add salt and pepper, add good port wine and egg yolk and knead using a hair grass. Put the material in a terrine (it can also be made of earthen) and leave in a fridge overnight. Then put it in water bath in the combi oven and cook in hot air at 160 °C for 17 min.

Belgian Christmas cookies

Mash butter with sugar and add eggs and almond syrup. Slowly pour in flour, baking powder and a pinch of salt. Pour the dough in a greased and floured enamelled GN container. Sprinkle with cinnamon and cut almonds. You can add pieces of candied fruit. Bake in the combi oven for 10–12 min. at 180 °C. Cut into uniform shapes and serve.

Belgian beef stew

Fry bacon cut into cubes on onion, add beef cut into cubes, continue frying, add salt and pepper, baste with water and beer and stew in the combi oven for 1.20 hours in combi mode 60%, 1.30 hours. In the end, add chopped parsley and a few drops of lemon juice.

Eet Smakelijk - Enjoy the meal!

China



Bejing duck

Mix cut ginger, cinnamon, nutmeg, pepper and rose-apple. Use a half of this mixture to spice the inside of the duck. Pour soya sauce into the second half and divide it in half again. With a half of the mixture, rub the duck on the outside. Put a whole peeled onion into the duck and leave for at least 2 hours or overnight. Place the duck in the combi oven, introduce the temperature probe and set the hot air mode at 180 °C for 25 min. The second step is cooking in the combi mode with 50 % humidity at 190 °C for approx. 12 min. As the last step, set the hot air mode to 140 °C and core temperature to 85 °C.

祝!用餐愉快 - Bon appetite!

England



Wellington sirloin

Daub oil on the beef sirloin roll and roast in the combi oven in a Teflon baking tin in hot air for 8 min. at $210\,^{\circ}$ C. Chop leek, garlic, capari and field mushrooms and fry on the meat juice. Roll flat puff pastry dough and put the prepared mixture and roasted sirloin on it. Wrap in the dough, squeeze on both ends and spread with whipped egg. Bake in the combi oven in hot air at $190\,^{\circ}$ C for approx. $10\,^{\circ}$ C min., then lower the temperature and finish baking slowly at $160\,^{\circ}$ C. Set the probe temperature to $55\,^{\circ}$ C.

Bon appetite!

Germany



Stuffed fatback

Create a pocket from fatback and fill it with bread filling. Cut rolls into cubes, add milk, egg yolks, nutmeg and cut parsley and mix with whipped egg whites. Put in the combi oven in steam mode at 99 °C for 10 min. and scald. Cut the softened skin into small cubes and sprinkle with coarse salt. Put onto a stainless steel grill and put in the combi oven. Roast using the "overnight cooking" function with core temperature of 68 °C. When finished, set the GT (Golden Touch) function to finish baking.

Beef on wine

Tie up beef meat using a string to a neat shape and roast in the combi oven in hot air on the grill at $230\,^{\circ}$ C for approx. 5–7 min. Then put the meat in a gastro container, baste with red wine and beef juice, introduce the temperature probe and stew in $60\,^{\circ}$ C combi mode at $145\,^{\circ}$ C and core temperature of $82\,^{\circ}$ C.

Roasted beef ribs

Marinate beef ribs in a mixture of chilli, garlic, salt, pepper and oil. Roast in hot air at 230 $^{\circ}$ C for 10 min. When finished, switch to low temperature roasting and continue at 110 $^{\circ}$ C until the core temperature reaches 80 $^{\circ}$ C.

Roasted lamb rump larded with garlic and carrots

Lard lamb rump with garlic cloves, pieces of carrots and rosemary. Put in the combi oven and roast in hot air at 230 °C for 10 min. Switch to 50 % combi mode at 145 °C and set the core temperature to 42 °C. After reaching this temperature, switch to the low temperature roasting mode at 75 °C and core temperature 56 °C.

Guten Appetit – Bon appetite!

Greece



Moussaka

Cut eggplants into 1 cm slices, add salt, leave for 30 min. and wipe off. Slice potatoes. Grill eggplants with potatoes. Fry minced pork on onion with tomato purée and a little white wine. Pour in bouillon, add salt, pepper and garlic and stew until the meat gets soft. Put potato slices in a greased gastro container, sprinkle lightly with grated cheese, put a layer of minced meat on the potatoes and then a layer of eggplants. Pour in béchamel, sprinkle with cheese and bake in the combi oven in hot air for 15 min. at 190°C.

Stuffed vegetables

Prepare paprika, tomatoes, zucchini, eggplant etc. – it is up to your preferences. Prepare purée from carrots, onion, garlic, parsley and mint. Stuff the purée to the prepared vegetables and add a drop of olive oil. Cut peeled potatoes into cubes, add salt and pepper, put in a gastro container and slightly baste with water. Lay vegetables over the prepared potatoes and bake in pre heated combi oven at 180 °C for approx. 45 min.

Exochiko

Cut lamb meat into cubes, add half sliced zucchini, onion, field mushrooms, garlic, rosemary, olive oil, salt,

pepper, chilli, bay leaf and tomatoes cut into cubes, mix everything together and leave for at least 2 hours or overnight. Roast the mixture and add potatoes cut into cubes. Wrap individual portions in baking paper and bake in the combi oven in hot air at 185 °C for approx. 1 hr. 15 min. Partially cut the paper and serve.

Souvlaki

Put pieces of lamb meat into marinade prepared from olive oil, garlic, oregano, lemon juice, salt and pepper. Leave the mixture standing for a while and stick the meat onto skewers, alternating it with vegetables (onion and tomatoes). Grill in the combi oven using the grill grating in the hot air mode at 220 °C for approx. 8–10 min. Serve with tzatziki and pita bread.

Kali Oreksi – Bon appetite!

Hungary

Hungarian perkelt

Cut beef meat into cubes. Fry finely cut onion on hot grease until it goes pink and sprinkle it with milled sweet paprika. Then add the meat and roast slightly from all sides, baste with white wine, put in a gastro container and stew in the combi oven set to the combi mode -50% humidity, $160\,^{\circ}$ C - for 60-80 min. until it get soft. At the end, add salt, Worchester sauce and finely cut chilli peppers. Serve with bread or white pastry.

Jó étvágyat – Bon appetite!

Iceland



Cod with seaweed and scampi

Add olive oil and salt to cod fillets, put in a Teflon GN container and roast intensively in the combi oven for 4 minutes at 215 °C. Then put in a baking bowl and add seaweed, anise liquor, white wine and cream. Put the bowl in the combi oven and warm up in hot air at 180 °C for 8–10 minutes. Marinate scampi in oil, garlic and cut parsley leaves. Pre heat Retigo grill (using hot air) in the combi oven to 210 °C and grill the

Roasted lamb chops with forest fruits in vodka

Prepare lamb chops marinated in oil, garlic, rosemary and honey and let stand for approx. 1 hour in the fridge. Pre heat Retigo grill in the combi oven to 220 °C, put the chops on it and grill for 4–5 minutes. Mix forest fruit, add vodka and warm up; then add cinnamon and sugar. Decorate with a mint twig or scalded green pea shell.

Bon matarlyst – Bon appetite!

Italy



Lasagne

scampi for 5 min.

Fry finely cut onion on grease until it gets pink, add minced beef, sterilized peeled tomatoes cut into cubes, tomato purée and a little tomato juice, spice with sweet basil, parsley leaves, salt and pepper, add sugar to your taste, baste with water and stew in the combi oven— combi mode 70 %, 160 °C, 1–1.30 hour. Grease gastro containers with béchamel, put a layer of pasta and then a layer of minced meat mixture, Ricotta cheese and mozzarella slices; put more layers until the gastro container is full (ca. 5 layers). In the end, pour in béchamel and sprinkle with Parmesan cheese. Bake in the combi oven in hot air, 20 min. at 140 °C, and then 10 min. at 210 °C with the flap open.

Osso buko

Osso buko is a veal knuckle cut into 3-4cm slices with a round bone in the centre. Put root crop, onion, garlic and olive oil in a gastro container. Place the container in pre heated combi oven and roast in hot air at 220 °C

for 10-15 min. Then put in meat slices and roast for another 10 min. When finished roasting, pour in red wine, pork bouillon, sliced tomatoes, rosemary, thyme and sage. Stew in combi mode with 40% humidity at $130\,^{\circ}$ C until the meat goes tender. Then take out the meat and sieve the sauce through a fine strainer.

Buon appetito – Bon appetite!

Malaysia



Tataki tuna

Marinate pieces of tuna in olive oil, salt and milled pepper and wrap in sesame seeds. Pre heat the combi oven to 250 °C in hot air mode, put in the tuna and grill for 2–3 min. The meal can be served as a steak with a light side dish, or cooled and served as part of a salad.

Poached sea bass

Prepare the marinade from salt, sugar, oyster sauce, chilli sauce and a little tomato purée. Lay the marinade over the sea bass (do not portion the fish). Cut chilli peppers, fresh ginger and garlic cloves in thin noodles and sprinkle them onto the fish. Pre heat the combi oven to 85 °C in steam mode and poach the sea bass for 20 min., or until it is cooked. For serving, add lemon juice.

Selamat makan - Bon appetite!

Netherlands



Dutch Apple Berry Pie

Mix together sliced apples with blueberries and raspberries. Put filo dough in a shallow cake tin or enamelled GN container. Put the fruits in the dough. Prepare dough from smooth flour, brown sugar, butter, cinnamon and nutmeg; form a layer of the second dough on the fruit mixture in the tin. Bake in the combi oven in hot air at 175 °C for approx. 20–30 min.

Eet smakelijk - Bon appetite!

Philippines



Beef Adobo

Cut beef meat into small cubes, marinate and let stand for 30 minutes. The marinade consists of soya sauce, salt, pepper, garlic, finely chopped onion, a little amount of sugar and bay leaf. Put the meat in a stainless steel gastro container, baste slightly with water and stew in 70 % combi mode at 160 °C for approx. 1 hr. 20 min. For the last 20 minutes, add potatoes cut in small cubes and coloured paprika. At the end, add salt, pepper and a drop of vinegar.

Bon appetite - Bon appetite!

Poland



Pork rolls with sage

Hammer pork joint flat, add salt and pepper, daub with mustard and lay bacon slices and sage leaves. Wrap the rolls, put them in a gastro container and put in the combi oven. Cook in hot air at 220 °C for approx. 10 min. Baste with wine and stew in 50 % combi mode at 120 °C at probe temperature 85 °C until the meat gets soft.

Golombky

Fry minced beef on onion, add salt and pepper, mix with rice and chopped dill. Use this mixture to stuff scalded sauerkraut leaves. Chop the rest of sauerkraut to a gastro container, cover it with the sauerkraut rolls, pour in thin tomato sauce and stew in 50 % combi mode at 140 °C for approx. 1 hour until they get tender.

Smacznego - Bon appetite!

Singapore



Chicken with chilli padi

Put garlic, onion, ginger, chilli peppers, curcuma, a piece of lemon grass and a little olive oil into a mixer and mix. Place quartered chicken in the gastro container, pour in the mixed sauce, add two cups of water, salt and potatoes cut into cubes, put into the combi oven and stew in 50 % combi mode at 140 °C for approx. 35 min. Ten minutes before end, add coconut milk and stew until the meat gets soft.

Slovakia



Kolozsvarri cabbage

Stew rice until it gets half tender (see side dishes), roast a sausage on onion, sprinkle with paprika and baste with water. Add cabbage and rice, put the container in the combi oven and stew in 50 % combi mode at 150 °C for approx. 45 min. until it gets soft. At the end of stewing, pour in sour cream and bake in hot air at 180 °C for approx. 10–15 min.

Cabbage with pork

Mince pork using a meat mincer, add cold stewed rice, salt, pepper and finely cut onion, fry everything on grease and mash thoroughly. Put a layer of sauerkraut in a stainless steel gastro container, cover it with the mixture of meat and rice and add another layer of cabbage. Pour in cream with milled paprika. Stew in 50% combi mode at $150\,^{\circ}$ C for approx. $25\,^{\circ}$ min.

Dobrú chuť – Bon appetite!

Slovenia



Potica

Prepare dough from smooth flour, margarine, eggs and ferment and let it rise. Prepare the filling from a mixture of nuts, sugar, butter, honey, eggs, small amount of milk and vanilla. Roll the dough flat, apply a layer of the filling and roll. Put the "roll" in a greased cake tin and let stand. Then put it in the combi oven and bake in hot air at 165 °C for 45–50 min. During baking, you can use the manual moistening function to prevent desiccation.

Dober tek – Bon appetite!

Spain



Catalan paella

Partially cut potatoes and scald them in the combi oven— steam mode, 90 °C, 2 min, cool down and peel. Cleanse and cut into cubes onion, garlic and paprika. Cook rice parboiled in steam at 99 °C for approx. 25 min. Foam up onion in a pan, add garlic and paprika and stew shortly. Then add curry, chilli, sea fruit and scampi, baste with wine and put in the combi oven to stew. Add rice, peas, tomatoes, salt and pepper. Mix together with the rice and finish stewing in the combi oven in 80 % combi mode at 140 °C for approx. 15 min.

Buen provecho – Bon appetite!



Sweden



Viking köttbullar – Viking meat balls

Mash a mixture of minced meat (beef, mutton) with fried onion and bacon, add smooth flour, eggs and spices. Mash well the mixture and form small balls. Put the balls in a gastro container, baste slightly with bouillon and stew. Set the combi oven to combi mode at 170 °C and 60 % humidity. Cook for approx. 25 min. (cooking time depends on the balls' size). Serve with roasted potatoes and grilled vegetables.

Sea wolf in salty crust

Draw the sea wolf, add coloured pepper and put it in a Teflon GN container. Mix coarse sea salt with egg whites. Apply the mixture on the fish. Introduce the temperature probe and roast in the combi oven in hot air at 180 °C; the core temperature should be set to 53 °C. When finished, the meal can be served with the salty crust, or remove the crust and serve individual portions.

Smaklig maltid - Bon appetite!

USA

Contemporary classics



Flank steak with zucchini chips

Cut beef flank (or bavete) into 200 to 250g steaks. Add pepper and roasted for approx. 7 min. at 200 °C. For roasting and grilling, use the Retigo grill gastro container. Let stand for 3 min. Serve with herb butter. Cut zucchini into thick chips, mix with olive oil and salt and grill together with the steak.

Bon appetite!

Contemporary classics

Confitted duck legs

Marinate duck legs two days in advance in a mixture of bay leaves, orange peel, five spice powder (*), salt and pepper. Melt goose fat, dip the legs in it, put in the combi oven and confit approx. 3–3.5 hours at 100–120 °C in hot air. Serve with sauerkraut and dumplings of various kinds.

Chicken leg stuffed with cognac fache

Put bacon slices on a kitchen foil. Cover the bacon with deboned chicken legs stuffed with fine fache prepared from chicken breast, cream, salt, a drop of cognac and parsley leaves. Wrap in a roll, tighten the ends of kitchen foil and put in the combi oven in steam mode at 90 °C. Introduce the temperature probe to the centre of the roll and set it to 75 °C. After reaching this temperature, remove from the foil and bake in the combi oven pre heated to 200 °C for 4 minutes.

Fine pate in puff pastry dough

Mince slightly streaky pork meat, chicken meat, veal or chicken liver and bacon using a meat mincer (3 times). Add rolls soaked in wine, thyme, salt, pepper and onion fried on butter to the mixture. Then mix in egg yolks. Put puff pastry dough into a bread tin (roe deer saddle). Compact the meat fache in the tin, cover it with overlapping dough and bind. Cover the surface with whipped eggs. Bake in the combi oven in hot air at $160\,^{\circ}$ C. Set the core temperature to $65-70\,^{\circ}$ C.

BBQ chicken wings

Marinate the chicken wings in a mixture of spice – honey, soya sauce, garlic, coriander, lemon juice and chilli – and leave stand for approx. 2 hours. Put the wing on a grill and place in pre heated combi oven. Cook in 50 % combi mode at 180 °C for 15 min., then switch to hot air mode at 210 °C and finish for approx. 10 min.

Mashed potatoes roasted on salt

Partially cut unpeeled potatoes. Pour coarse sea salt in an enamelled gastro container 40/60 to form a 1cm layer. Cover the salt with potatoes of homogeneous size. Roast at 180 °C for approx. 1 hour. When finished, open the potatoes and scoop out the pulp using a spoon. Add cream, butter and salt and whip until smooth.





GASTRO CONTAINERS

Gastro containers	72 _ 75

Using gastro containers

RETIGO steam combi ovens (or regenerators or blast chillers) utilize gastro containers of sizes GN 1/1, GN 2/3 (only for oven size 6x GN 2/3) and GN 2/1. There are special gastro containers, solid or perforated stainless steel containers, grills and enamelled GN containers.

Unified sizes used worldwide are the following:

- **2/3**-354x325 mm **1/1**-530x325 mm
- **2/1**-650x530 mm
- Confectionary GN container 400x600 mm



Special and unusual GN

ТҮРЕ	SIZE	EXAMPLE OF THE USE
Retigo Frit	2/3, 1/1	frying of potato side dishes - French fries, wedges
Retigo Snack	1/1	poached egg
Retigo Bake	1/1	baking of different types of bakery pro- ducts, baking of frozen semifinished pro- ducts, frying, toasting
Retigo Grill	2/3, 1/1	pork, beef or poultry steaks, different types of fish and another grilled meat
Wire shelving for chicken	2/3, 1/1	chicken roasting
Form for dumplings	2/3, 1/1	different types of dumplings
Stainless wire shelving	2/3, 1/1	roasting of different types of meat

Classical GN

ТҮРЕ	DEPTH (mm)	SIZE	EXAMPLE OF THE USE				
	20	2/3, 1/1	baked potatoes, meat rolls				
Fu	40	2/3, 1/1, 2/1	meatloaf, roasted meat pieces, roasted fish stewed fish, ducks, gooses				
	60	2/3, 1/1, 2/1	stuffed peppers, stuffed cabbage leaves, roast pork meat, roast beef, rice, gratin potatoes				
	100	2/3, 1/1, 2/1	souce preparation, rice cooking, stew meat				
	20	2/3, 1/1					
rated	40	2/3, 1/1	Steaming: potatoes, vegetables, smoked meat, couliflower				
Perforated	60	2/3, 1/1, 2/1	Regeneration: dumplings, sausages, pasta				
	100	2/3, 1/1, 2/1					



Enamelled GN, Confectionary sheets (400 x 600)

They serve not only for baking pastry and cakes, batters or proofed dough, but also for frying and quick baking. Compared to stainless steel gastro containers, they have a better thermal conductivity; that means that cakes are better coloured on the bottom and the dough is easier to pick up. Enamelled gastro containers have rectangular corners so that even the corner pieces of cakes can be used – all portions are equal.

ТҮРЕ	DEPTH (mm)	SIZE	EXAMPLE OF THE USE			
	20	1/1	fried schnitzels, strudel, fried fish			
Enamelled GN	40	2/3, 1/1, 2/1	the same use as classical stainless steel GN 40 or buns			
	60	1/1, 2/1	gratin potatoes, buns			
	100	1/1	graum potatoes, buns			
Enamelled baking sheet	-	2/3, 1/1	confectionary products			
Perforated aluminium sheet	-	400 x 600	baking of frozen doughs, baguettes, buns			
Enamelled sheet with one side open	with one side -		baking of frozen doughs, baguettes, buns			
Funnallad about	12	400 x 600	haling of frames daughe haguather have			
Enamelled sheet	40	400 x 600	baking of frozen doughs, baguettes, buns			

Recommended set of GN

611 / 623	 6 pcs enamelled GN 2/3 40 mm + 3 pcs 60 mm 5 pcs classical GN 2/3 100 mm - full 5 pcs classical GN 2/3 100 mm perforated 1 pc wire shelving 2/3 	1011	 10 pcs enamelled GN 1/1 40 mm 5 pcs 60 mm 8 pcs classical GN 1/1 100 mm full 8 pcs classical GN 1/1 100 mm perforated 2 pcs wire shelving 	1221	 10 pcs enamelled GN 2/1 40 mm 5 pcs enamelled GN 2/1 60 mm 13 pcs classical GN 1/1 100 mm - full 13 pcs classical GN 1/1 100 mm - perforated 2 pcs wire shelving 2/1
2011	 20 pcs enamelled GN 1/1 40 mm 10 pcs enamelled GN 1/1 60 mm 13 pcs classical GN 1/1 100 mm - full 13 pcs classical GN 1/1 100 mm perforated 4 pcs wire shelving 1/1 	2021 GN 2/1	 20 pcs enamelled GN 2/1 40 mm 10 pcs enamelled GN 2/1 60 mm 13 pcs classical GN 2/1 100 mm full 13 pcs classical GN 2/1 100 mm perforated 4 pcs wire shelving 2/1 	2021 GN 1/1	 40 pcs enamelled GN 1/1 40 mm 20 pcs enamelled GN 1/1 60 mm 26 pcs classical GN 100 mm - full 26 pcs classical GN 100 mm perforated 8 pcs wire shelving 1/1

FOR 1221 COMBI OVEN, WE RECOMMEND NOT USING 2/1 60 MM GN CONTAINERS FOR COMMON OVENS! They are made of coarse sheet metal and conduct heat badly, which prevents even baking.

The range of gastro containers for restaurants depends on the types of cooked meals.

Note: All the recommendations are indicative only. The main factors are the utilization of a given facility, method of meal dispensing and type of cooked meals.





CAPACITY TABLES

Side dishes & Bakery & Pastry & Desserts	78-	-83
Vegetable	83-	-85
Snack & Breakfast	85-	-87
Fish & Sea products	87-	90
Meat	91-	-95

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking mode	Moistu- re %	Tempera- ture °C	Time min.	Core probe °C
-	6 x GN2/3	1,5 kg/6	9						
oes 5 mir e)	6 x GN1/1	2,5 kg/6	15						
otato (last valv	10 x GN1/1	2,5 kg/10	25	enamelled container 40mm	hot air		200 210	15	
Baked potatoes (in pieces) (last 5 min. opened valve)	12 x GN2/1	2.5 kg/20	50		hot air	-	200-210	15	-
Bal n pie op	20 x GN1/1	2.5 kg/20	50						
E.	20 x GN2/1	5 kg/20	100						
	6 x GN2/3	5 kg/3	15						
oes	6 x GN1/1	8 kg/3	24						
Stewed potatoes (in pieces)	10 x GN1/1	8 kg/5	40	perforated	ata a m		00	30-40	
wed I	12 x GN2/1	16 kg/5	80	container 100mm	steam	-	99	30 -4 0	-
Ste	20 x GN1/1	8 kg/10	80						
	20 x GN2/1	16 kg/10	160						
	6 x GN2/3	2 kg/3	6	stainless steel container 100mm					
ar for	6 x GN1/1	3 kg/3	9						
Stewed rice (1 liter of water for 1 of rice)	10 x GN1/1	3 kg/5	15		steam		99	45	
stewe ter of	12 x GN2/1	5 kg/5	25		Seam	-	99	45	-
S (1 lit	20 x GN1/1	3 kg/10	30						
	20 x GN2/1	6 kg/10	60						
	6 x GN2/3	2 kg/3	6						
oroth e)	6 x GN1/1	3 kg/3	9						
Pilaf rise 1 liter of bro	10 x GN1/1	3 kg/5	15	stainless steel	combi		175	25-45	
Pilaf rise (add 1 liter of broth for 1 of rice)	12 x GN2/1	5 kg/5	25	container 100mm	combi	-	1/5	23-43	-
(add fo	20 x GN1/1	3 kg/10	30						
	20 x GN2/1	6 kg/10	60						
	6 x GN2/3	2 kg/3	6						
. T	6 x GN1/1	3 kg/3	9						
Ravioli pie (last 5 min. opened valve)	10 x GN1/1	3 kg/5	15	stainless steel	hot =:=		175	15.20	
Ravio last 5 ened	12 x GN2/1	6,5 kg/5	32,5	container 40mm	hot air	-	175	15-20	-
- O do	20 x GN1/1	3 kg/5	15						
	20 x GN2/1	6 kg/5	30						



Tables

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking mode	Moistu- re %	Tempera- ture °C	Time min.	Core probe °C
ć	6 x GN2/3	10 pc/3	30						
ng of 5 mi	6 x GN1/1	15 pc/3	45						
uddi last 1 valv	10 x GN1/1	15 pc/5	75	moulds	hakata		475		
Au gratin pudding of every kind (last 15 min. opened valve)	12 x GN2/1	30 pc/5	150	on grill	hot air	-	175	35	-
Au graery k op	20 x GN1/1	15 pc/10	150						
e e	20 x GN2/1	30 pc/10	300						
	6 x GN2/3	12 pc/3	36						
	6 x GN1/1	18 pc/3	54						
Lasagne	10 x GN1/1	18 pc/5	90	stainless steel container 65mm	a a mala i	Ε0	170	20.25	
Lasa	12 x GN2/1	36 pc/5	180		combi	50	170	20-25	-
	20 x GN1/1	18 pc/10	180						
	20 x GN2/1	36 pc/10	360						
	6 x GN2/3	9 pc/3	27	stainless steel container 40mm					
_	6 x GN1/1	15 pc/3	45						
Cannelloni	10 x GN1/1	15 pc/5	75		a a mala i	Ε0	170	20	
Canno	12 x GN2/1	30 pc/5	150		combi	50	170	20	-
	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						
	6 x GN2/3	9 pc/3	27						
f moons	6 x GN1/1	15 pc/3	45						
	10 x GN1/1	15 pc/5	75	stainless steel	combi	FO	170	15	-
Stuffed hal	12 x GN2/1	30 pc/5	150	container 40mm	combi	50	170	15	
Stuff	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						
	6 x GN2/3	1 kg/3	3						
. (e	6 x GN1/1	2 kg/3	6						
Pan pizza (last 5 min. opened valve)	10 x GN1/1	2 kg/5	10	stainless steel	oomsh:		100	20	
Pan pizza last 5 mir ened valv	12 x GN2/1	4 kg/5	20	container 40mm	combi	-	180	20	-
do	20 x GN1/1	2 kg/10	20						
	20 x GN2/1	4 kg/10	40						



Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	1,5 kg/6	9						
uts	6 x GN1/1	2,5 kg/6	15						
Brussel sprouts with bacon	10 x GN1/1	2.5 kg/10	25	stainless steel	combi		170	30-45	
ussel vith I	12 x GN2/1	5,5 kg/10	55	container 40mm	COITIDI	-	170	30-43	-
P.	20 x GN1/1	2,5 kg/20	50						
	20 x GN2/1	5 kg/20	100						
	6 x GN2/3	1,2 kg/3	3,6						
	6 x GN1/1	1,8 kg/3	5						
Rosemary flat cake	10 x GN1/1	1,8 kg/5	9	stainless steel	combi	20	100	20-30	
Rosemary flat cake	12 x GN2/1	3,6 kg/5	18	container 20mm	combi	30	180	20-30	-
	20 x GN1/1	./1 1,8 kg/10 18							
	20 x GN2/1	3,6 kg/10	/10 36						
	6 x GN2/3	2 kg/3	6						
ers	6 x GN1/1	3,5 kg/3	10,5						
Stuffed peppers	10 x GN1/1	3,5 kg/5	17,5	stainless steel	combi		175	20.40	
ffed	12 x GN2/1	7,5 kg/5	37,5	container 40mm	combi	-	175	30-40	-
Stu	20 x GN1/1	3,5 kg/10	35						
	20 x GN2/1	7 kg/10	70						
	6 x GN2/3	10 pc, 100 g/3	30						
-	6 x GN1/1	15 pc, 100 g/3	45						
brea	10 x GN1/1	15 pc, 100 g/5	75	stainless steel	combi	20	210	12-15	
Fresh bread	12 x GN2/1	30 pc, 100 g/5	150	container 20mm	combi	30	210	12-15	-
ш	20 x GN1/1	15 pc, 100 g/10	150						
	20 x GN2/1	30 pc, 200 g/10	300						
	6 x GN2/3	10 pc, 100 g/3	30						
9	6 x GN1/1	15 pc, 100 g/3	45						
Frozen bread	10 x GN1/1	15 pc, 100 g/5	75	perforated container	hot sir		170	20.25	
ozen.	12 x GN2/1	30 pc, 100 g/5	150	20mm	hot air	-	170	20-25	-
Ē	20 x GN1/1	15 pc, 100 g/10	150						
	20 x GN2/1	30 pc, 200 g/10	300						



Tables

Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	15 pc/6	90						
Jel	6 x GN1/1	24 pc/6	144						
caran	10 x GN1/1	24 pc/10	240	perforated container	steam	_	80	30	_
Crème caramel	12 x GN2/1	48 pc/10	480	40mm	Steam		80	30	_
Ď	20 x GN1/1	24 pc/20	480						
	20 x GN2/1	48 pc/20	960						
	6 x GN2/3	28 pc/6	160						
uits	6 x GN1/1	42 pc/6	252						
Coconut biscuits	10 x GN1/1	42 pc/10	420	stainless steel	hot air	_	135	15	_
conut	12 x GN2/1	84 pc/10	840	container 20mm	ווטנ מוו	-	133	15	-
Š	20 x GN1/1	42 pc/20	840						
	20 x GN2/1	84 pc/20	1680						
	6 x GN2/3	2 pc/1	2						
alf a	6 x GN1/1	3 pc/1	3						
Panettone (cook with half speed fan)	10 x GN1/1	3 pc/3	9	quill	hot air		165	FF	
Panel ook w speec	12 x GN2/1	6 pc/3	18	grill	hot air	-	165	55	_
_ <u>8</u> %	20 x GN1/1	3 pc/5	15						
	20 x GN2/1	6 pc/5	30						
	6 x GN2/3	400 g/3	1,2						
e (e	6 x GN1/1	600 g/3	1,8	norforated					
e cake d valve)	10 x GN1/1	600 g/5	3	perforated container 40mm	hot air		165	40	
Sponge (12 x GN2/1	1,2 kg/5	6	with baking paper	ווטנ מוו	-	103	40	-
8 0	20 x GN1/1	600 g/10	6	рареі					
	20 x GN2/1	1200 g/10	12						
	6 x GN2/3	1 kg/3	3						
) e	6 x GN1/1	1,6 kg/3	4,8						
Puff pastry (opened valve)	10 x GN1/1	1,6 kg/5	8	smalt	hot oir		175	ΔE	
onff p	12 x GN2/1	3,2 kg/5	16	20 mm	hot air	-	175	45	-
9	20 x GN1/1	1,6 kg/10	16						
	20 x GN2/1	3,2 kg/10	32						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	0,8 kg/3	2,4						
stry 'e)	6 x GN1/1	1,6 kg/3	4,8				160		
st pa: I valv	10 x GN1/1	1,6 kg/5	8	smalt/teflon 20 mm	hat air			20.20	
Shortcrust pastry (opened valve)	12 x GN2/1	3,2 kg/5	16	(baking paper)	hot air	-	160	20-30	-
Sho (o)	20 x GN1/1	1,6 kg/10	16						
	20 x GN2/1	3,2 kg/10	32						
	6 x GN2/3	1 pc/3	3						
el an)	6 x GN1/1	3 pc/3	9						
Apple strudel (half speed fan)	10 x GN1/1	3 pc/5	15	smalt	hot air		100	20.40	
ople s If spe	12 x GN2/1	6 pc/5	30	40 mm		-	180	30-40	-
Ap (ha	20 x GN1/1	3 pc/10	30						
	20 x GN2/1	6 pc/10	60						
	6 x GN2/3	1,5 kg/3	4,5	smalt					
	6 x GN1/1	2,25 kg/3	6,75						
Ring cake	10 x GN1/1	2,25 kg/5	11,25		hot air		125	25.20	-
Ring	12 x GN2/1	5 kg/5	25		hot air	-	135	25-30	
	20 x GN1/1	2,25 kg/10	22,5						
	20 x GN2/1	4,5 kg/10	45						
	6 x GN2/3	9 pc/3	27						
Ŋ	6 x GN1/1	15 pc/3	45						
d tiles	10 x GN1/1	15 pc/5	75	stainless steel	hat air		200	4	
Almond	12 x GN2/1	30 pc/5	150	container 20mm	hot air	-	200	4	-
₹	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						
	6 x GN2/3	9 pc/3	27						
Creme cake (frozen) (half speed fan)	6 x GN1/1	15 pc/3	45						
eme cake (froze (half speed fan)	10 x GN1/1	15 pc/5	75	stainless steel	hot air		170	20-25	-
e cak Ilf spe	12 x GN2/1	30 pc/5	150	container 20mm	HOL dil	-	170	20-23	-
Crem (ha	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	16 pc/3	48						
ŧ	6 x GN1/1	24 pc/3	72				150	15	
y croissa (frozen)	10 x GN1/1	24 pc/5	120	stainless steel	combi	20			
Baby croissant (frozen)	12 x GN2/1	48 pc/5	240	container 20mm	combi	20			-
Ba	20 x GN1/1	24 pc/10	240						
	20 x GN2/1	28 pc/10	480						
	6 x GN2/3	0,4 kg/3	1,2					15-20	
<u>.e</u>	6 x GN1/1	0,6 kg/3	1,8						
Mixed savouries (frozen)	10 x GN1/1	0,6 kg/5	3	stainless steel	hat air		100		
ed sa (froz	12 x GN2/1	1,2 kg/5	6	container 20mm	hot air	-	180		-
Σ	20 x GN1/1	0,6 kg/10	6						
	20 x GN2/1	1,2 kg/10	12						

VEGETABLE

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	1,5 kg/6	9						
Ses	6 x GN1/1	2,5 kg/6	15				99	15	
Mixed stewed vegetable slices	10 x GN1/1	2,5 kg/10	25	perforated	steam				
ixed s	12 x GN2/1	5,5 kg/10	55	container 40mm					-
Weg.	20 x GN1/1	2,5 kg/20	50						
	20 x GN2/1	5 kg/20	100						
	6 x GN2/3	1,5 kg/6	9						
:	6 x GN1/1	2 kg/6	12						
Stewed broccoli (fresh)	10 x GN1/1	2 kg/10	20	perforated container	steam		00	10	
wed (fre	12 x GN2/1	4,5 kg/10	45	40mm	Steam	-	99	10	-
Ste	20 x GN1/1	2 kg/20	40						
	20 x GN2/1	4 kg/20	80						



Tables

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	1,3 kg/3	3,9						
5	6 x GN1/1	2 kg/3	6						
Stewed green asparagus (frozen)	10 x GN1/1	2 kg /5	10	perforated			00	20.25	
ewed gre asparagu (frozen)	12 x GN2/1	5 kg/5	25	container 40mm	steam	-	99	20-25	-
1 50	20 x GN1/1	2 kg/10	20						
	20 x GN2/1	2 kg/10	40						
	6 x GN2/3	1,3 kg/6	7,8						
S.	6 x GN1/1	2 kg/6	12						
Sliced carrots (3mm)	10 x GN1/1	2 kg/10	20	perforated	-4		00	15	
iced carr (3mm)	12 x GN2/1	4,5 kg/10	45	container 40mm	steam	-	99	15	-
<u>is</u>	20 x GN1/1	2 kg/20	40						
	20 x GN2/1	2 kg/20	80						
	6 x GN2/3	1,5 kg/6	9	perforated					
wer	6 x GN1/1	2,5 kg/6	15						
Stewed cauliflower (fresh)	10 x GN1/1	2,5 kg/10	25		-4		00	25.45	
ed caulif (fresh)	12 x GN2/1	5 kg/10	50	container 40mm	steam	-	99	25-45	-
Stew	20 x GN1/1	2,5 kg/20	50						
	20 x GN2/1	5 kg/20	100						
	6 x GN2/3	2 kg/3	6						
ch bean n)	6 x GN1/1	3,5 kg/3	10,5						
ench zen)	10 x GN1/1	3,5 kg/5	17,5	perforated	-4		00	25.25	
Stewed french (frozen)	12 x GN2/1	7,5 kg/5	37,5	container 40mm	steam	-	99	25-35	-
Stew	20 x GN1/1	3,5 kg/10	35						
	20 x GN2/1	3,5 kg/10	70						
	6 x GN2/3	1,3 kg/3	3,9						
Mushrooms (sprinkle with lemon juice before cooking)	6 x GN1/1	2 kg/3	6	stainless steel container 65mm					
Mushrooms nkle with le before cook	10 x GN1/1	2 kg/5	10		oka = :		00	15	
Jushr ikle v pefor	12 x GN2/1	4,5 kg/5	22,5		steam	-	99	15	-
Sprinuice I	20 x GN1/1	2 kg/10	20						
	20 x GN2/1	4 kg/10	40						_



Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	0,5 kg/6	3						
5	6 x GN1/1	0,8 kg/6	4,8						
pinac	10 x GN1/1	0,8 kg/10	8	perforated	ata a na		00	7	
Fresh spinach	12 x GN2/1	1,6 kg/10	16	container 40mm	steam	-	99	7	-
上	20 x GN1/1	0,8 kg/20	16						
	20 x GN2/1	1,6 kg/20	32						
	6 x GN2/3	1,6 kg/6	9,6						
5	6 x GN1/1	2,5 kg/6	15						
Frozen spinach	10 x GN1/1	2,5 kg/10	25	perforated	aka a wa		00	10	
zen (12 x GN2/1	5 kg/10	50	container 40mm	steam	-	99	10	-
Fro	20 x GN1/1	2,5 kg/20	50						
	20 x GN2/1	5 kg/20	100						

SNACK & BREAKFAST

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	80 pc/3	240						
ggs	6 x GN1/1	120 pc/3	360						
e pel	10 x GN1/1	120 pc/5	600	perforated	ahaana		00	12-15	
Hard-boiled eggs	12 x GN2/1	240 pc/5	1200	container 100mm	steam	-	99		-
Har	20 x GN1/1	120 pc/10	1200						
	20 x GN2/1	240 pc/10	2400						
	6 x GN2/3	35 pc/6	210						
SBE	6 x GN1/1	50 pc/6	300						
Soft-boiled eggs	10 x GN1/1	50 pc/10	500	perforated			00	6.0	
t-boil	12 x GN2/1	100 pc/10	1000	container 40mm	steam	-	99	6-9	-
Sof	20 x GN1/1	50 pc/20	1000						
	20 x GN2/1	100 pc/20	2000						



Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	4 pc/3	12						
p	6 x GN1/1	6 pc/3	18						
ettes 'y kin i valv	10 x GN1/1	6 pc/5	30	omelettes container	bak sin		170	12.15	
Omelettes of every kind (opened valve)	12 x GN2/1	12 pc/5	60	(pan)	hot air	-	170	13-15	-
<u> </u>	20 x GN1/1	6 pc/10	60						
	20 x GN2/1	12 pc/10	120						
SI	6 x GN2/3	4 pc/3	12						
ss of room	6 x GN1/1	6 pc/3	18						
Crepes parceles of atinated mushroom (op. valve)	10 x GN1/1	6 pc/5	30	stainless steel	hat sin		175	20	
es parted r	12 x GN2/1	12 pc/5	60	container 40mm	hot air	-	175	20	-
Crepes parceles of gratinated mushrooms (op. valve)	20 x GN1/1	6 pc/10	60						
5	20 x GN2/1	12 pc/10	120						
	6 x GN2/3	15 pc/6	90	stainless steel			180		
Breakfast sausages	6 x GN1/1	25 pc/6	150						
sans	10 x GN1/1	25 pc/10	250		hot nir			10.15	
kfast	12 x GN2/1	25 pc/20	500	container 40mm	hot air			10-15	-
Breal	20 x GN1/1	25 pc/20	500						
	20 x GN2/1	50 pc/20	1000						
	6 x GN2/3	15 pc/6	90						
	6 x GN1/1	25 pc/6	150						
furt	10 x GN1/1	25 pc/10	250	perforated	-4		00	10.15	
Frankfurt	12 x GN2/1	25 pc/20	500	container 40mm	steam	-	80	10-15	-
	20 x GN1/1	25 pc/20	500						
	20 x GN2/1	25 pc/20	1000						
	6 x GN2/3	45 pc/3	135						
(e)	6 x GN1/1	50 pc/3	150	stainless steel					
Mixed salt buscuits (opened valve)	10 x GN1/1	50 pc/5	250		hot sin		170	20	
Mixec busc	12 x GN2/1	110 pc/5	550		hot air	-	170	20	-
9	20 x GN1/1	50 pc/10	500						
	20 x GN2/1	100 pc/10	1000						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	10 pc/3	30						
e) es	6 x GN1/1	15 pc/3	45						
Stuffed puff astry parceles opened valve)	10 x GN1/1	15 pc/5	75	stainless steel	hat air		175	25	
Stuffed pastry pa (opened	12 x GN2/1	35 pc/5	175	container 20mm	hot air	-	175	35	-
S bas	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						

FISH & SEA PRODUCTS

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	2 pc/3	6						
F C	6 x GN1/1	3 pc/3	9						
obste	10 x GN1/1	3 pc/5	15	perforated container	steam		99	7-10	60-65
Live lobster (500-600 gr)	12 x GN2/1	6 pc/5	30	20mm	Steam		99		00-03
1 <u>9</u>	20 x GN1/1	3 pc/10	30						
	20 x GN2/1	6 pc/10	60						
	6 x GN2/3	20 pc/6	120						
lls ons)	6 x GN1/1	30 pc/6	180		steam		99	5-6	_
Crayfish in their shells (medium portions)	10 x GN1/1	30 pc/10	300	perforated container					
Cray their dium	12 x GN2/1	65 pc/10	650	20mm					-
in (me	20 x GN1/1	30 pc/20	600						
	20 x GN2/1	60 pc/20	1200						
	6 x GN2/3	1 pc/6	6						
3SS	6 x GN1/1	2 pc/6	12						
ile sea ba (2 kg)	10 x GN1/1	2 pc/10	20	stainless steel container 20mm	steam		75	70-75	70
Whole sea bass (2 kg)	12 x GN2/1	4 pc/10	40		Stedili	-	/5	70-75	70
×	20 x GN1/1	2 pc/20	40						
	20 x GN2/1	4 pc/20	80						



FISH & SEA PRODUCTS

Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	1,5 kg/3	4,5						
u _o	6 x GN1/1	2 kg/3	6						
salmo	10 x GN1/1	2 kg/5	10	perforated	stoom		75	100	70
Whole salmon	12 x GN2/1	4,5 kg/5	22,5	container 20mm	steam	-	75	100	70
>	20 x GN1/1	2 kg/10	20						
	20 x GN2/1	4 kg/10	40						
	6 x GN2/3	4 pc/6	24						
÷ 🙃	6 x GN1/1	6 pc/6	36						
Whole trout (300-400 gr.)	10 x GN1/1	6 pc/10	60	perforated	ata a ma		70	20.20	60
/hole 00-4	12 x GN2/1	12 pc/10	120	container 20mm	steam	-	70	20-30	68
> ⊕	20 x GN1/1	6 pc/20	120						
	20 x GN2/1	12 pc/20	240						
	6 x GN2/3	8 pc/6	48						
obe	6 x GN1/1	12 pc/6	72						
Sea bass escalope (150 gr.)	10 x GN1/1	12 pc/10	120	perforated			70		65
bass esca (150 gr.)	12 x GN2/1	24 pc/10	240	container 20mm	steam	-	70	-	65
Sea	20 x GN1/1	12 pc/20	240						
	20 x GN2/1	24 pc/20	480						
	6 x GN2/3	8 pc/6	48						
t	6 x GN1/1	12 pc/6	72						
turb	10 x GN1/1	12 pc/10	120	perforated	·		70		
Filled of turbot	12 x GN2/1	24 pc/10	240	container 20mm	steam	-	70	-	65
Ē	20 x GN1/1	12 pc/20	240						
	20 x GN2/1	24 pc/20	480						
	6 x GN2/3	3,3 kg/3	9,9						
sndo	6 x GN1/1	5 kg/3	15	perforated container 20mm					
Defrosted octopus (600-800 gr.)	10 x GN1/1	5 kg/5	25				00	75.00	7-
osted 00-80	12 x GN2/1	10 kg/5	50		steam	-	99	75-80	75
Defr (6	20 x GN1/1	5 kg/10	50						
	20 x GN2/1	10 kg/10	100						



FISH & SEA PRODUCTS

Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	2,4 kg/3	7,2						
0	6 x GN1/1	4 kg/3	12						
errine	10 x GN1/1	4 kg/5	20	stainless	-4		00	110	75
Fish terrine	12 x GN2/1	8 kg/5	40	steel container	steam	-	80	110	75
	20 x GN1/1	4 kg/10	40						
	20 x GN2/1	8 kg/10	80						
	6 x GN2/3	10 pc/3	30						
atin 'e)	6 x GN1/1	15 pc/3	45						
Scallops au gratin (opened valve)	10 x GN1/1	15 pc/5	75	stainless steel	hat air		195	45.20	
ops a	12 x GN2/1	35 pc/5	175	container 20mm	hot air	-	185	15-20	-
Scall (op	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						
	6 x GN2/3	1,5 pc/3	4,5						
# B C	6 x GN1/1	2 pc/3	6						
Baked turbot (valve opened last 15 min.)	10 x GN1/1	2 pc/5	10	stainless steel			475	20	
aked alve calve ca	12 x GN2/1	4 pc/5	20	container 40mm	hot air	-	175	30	-
B S S B	20 x GN1/1	2 pc/10	20						
	20 x GN2/1	4 pc/10	40						
	6 x GN2/3	1 plate/3	3						
e g	6 x GN1/1	2 plates/3	6						
sh and r cuts l valve)	10 x GN1/1	2 plates/5	10	serving plate on			400	40	
Swordfish and salmon cuts (opened valve)	12 x GN2/1	4 plates/5	20	a grill	hot air	-	180	12	-
S S O	20 x GN1/1	2 plates/10	20						
	20 x GN2/1	4 plates/10	40						
	6 x GN2/3	2 pc/3	6						
Sea bass in a pastry crust (300g) last 10min. opened valve	6 x GN1/1	3 pc/3	9	stainless steel container 20mm					
n a p; 10g) l ined	10 x GN1/1	3 pc/5	15				475	20.25	
ass ii st (30 1. ope	12 x GN2/1	6 pc/5	30		hot air	-	175	30-35	-
Sea bass in a pastry crust (300g) last 10min. opened valve	20 x GN1/1	3 pc/10	30						
₩ ₩	20 x GN2/1	6 pc/10	60						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
_	6 x GN2/3	3 kg/3	9						
orowi sual)	6 x GN1/1	4,5 kg/3	13,5						
Fish soup (before baking brown on the fire as usual)	10 x GN1/1	4,5 kg/5	22,5	stainless steel	combi		150	2F 40	
Fish e bal	12 x GN2/1	9 kg/5	45	container 65mm	combi	-	150	35-40	-
befor on th	20 x GN1/1	4,5 kg/10	45						
	20 x GN2/1	9 kg/10	90						
	6 x GN2/3	13 pc/3	39						
Stewed red mullets catalan style	6 x GN1/1	24 pc/3	72						
wed red mull catalan style	10 x GN1/1	24 pc/5	120	stainless steel	combi		170	30-35	
ed re stalai	12 x GN2/1	48 pc/5	240	container 40mm	COITIDI	-	170	30-35	-
Stew	20 x GN1/1	24 pc/10	240						
	20 x GN2/1	48pc/10	480						
	6 x GN2/3	3,5 kg/3	10,5	stainless steel					
	6 x GN1/1	5 kg/3	15						
Fish pastry	10 x GN1/1	5 kg/5	25		combi		175	20.25	
ish p	12 x GN2/1	10 kg/5	50	container 65mm	combi	-	175	30-35	-
_	20 x GN1/1	5 kg/10	50						
	20 x GN2/1	10kg/10	100						
	6 x GN2/3	3 pc/3	9						
q	6 x GN1/1	5 pc/3	15						
d cra	10 x GN1/1	5 pc/5	25	perfomated	stoom		99	35-40	
Stewed crab	12 x GN2/1	10 pc/5	50	container 40mm	steam	-	99	33-40	-
Ø	20 x GN1/1	5 pc/10	50						
	20 x GN2/1	10 pc/10	100						
	6 x GN2/3	1,5 kg/3	4,5						
and	6 x GN1/1	2 kg/3	6	stainless steel container 40mm					
Clams mussels and other crustaceans	10 x GN1/1	2 kg/5	10		ctcom		90	15	
is mu	12 x GN2/1	4 kg/5	20		steam	-	80	15	-
Clam	20 x GN1/1	2 kg/10	20						
	20 x GN2/1	4kg/10	40						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	4 pc/1	4						
	6 x GN1/1	8 pc/2	16						
ken kg)	10 x GN1/1	8 pc/3	24	grill for chicken	combi	-	140	25	80-85
Chicken (1,2 kg)	12 x GN2/1	8 pc/6	40	steel container on	hot air	-	210	15	-
	20 x GN1/1	8 pc/6	40	bottom					
	20 x GN2/1	16 pcs/5	80						
	6 x GN2/3	8 pc/6	48						
ast	6 x GN1/1	12 pc/6	72						
Chicken breast	10 x GN1/1	12 pc/10	120	perforated			75	20	70
cken	12 x GN2/1	24 pc/10	240	container 20mm	steam	-	75	30	72
S.	20 x GN1/1	12 pc/20	240						
	20 x GN2/1	20 pcs/ 20	400						
	6 x GN2/3	13 pc/3	39						
SO.	6 x GN1/1	20 pc/3	60						
n leg	10 x GN1/1	20 pc/5	100	grill and stainless	combi	50	140	15	-
Chicken legs	12 x GN2/1	40 pc/5	200	steel container on	hot air	-	210	15	-
ō	20 x GN1/1	20 pc/10	200	bottom					
	20 x GN2/1	40 pcs/ 10	400						
	6 x GN2/3	1 pc/3	3						
.,	6 x GN1/1	2 pc/3	6						
duck kg)	10 x GN1/1	2 pc/5	10	stainless steel	combi	-	140	40	-
Roast duck (1,90 kg)	12 x GN2/1	4 pc/5	20	container 40mm	hot air	-	210	15	-
2	20 x GN1/1	2 pc/10	20						
	20 x GN2/1	4 pcs/ 10	40						
	6 x GN2/3	4 pc/6	24						
	6 x GN1/1	6 pc/6	36	grill and stainless steel) container on bottom					
st of ck	10 x GN1/1	6 pc/10	60			40	100	25	
Breast of duck	12 x GN2/1	12 pc/10	120		combi	40	180	25	-
	20 x GN1/1	6 pc/20	120						
	20 x GN2/1	12 pcs/20	240						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	2 kg/3	6						
	6 x GN1/1	3 kg/3	9	grill and					
Roast loin of pork	10 x GN1/1	3 kg/5	15	grill and stainless steel	combi	30	150	65	70
Roas of p	12 x GN2/1	6 kg/5	30	container on bottom	COLLIDI	30	130	05	70
	20 x GN1/1	3 kg/10	30	on bottom					
	20 x GN2/1	6 kg/ 10	60						
	6 x GN2/3	3 kg/2	6						
숙 e	6 x GN1/1	6 kg/2	12	grill and					
Neck of pork without bone (3 kg)	10 x GN1/1	6kg/5	30	stainless steel	steam	50	99	10	85
leck c ithou (3 l	12 x GN2/1	12 kg/5	60	container on bottom	combi	-	160	90	-
Z }	20 x GN1/1	6 kg/10	60	Sir Doctorii					
	20 x GN2/1	12 kg/ 10	120						
	6 x GN2/3	4 kg/3	12						
ork	6 x GN1/1	1/1 6 kg/3 18							
Timbale of pork (2 kg)	10 x GN1/1	6 kg/5	30	special deep	combi	70	140	45	-
nbale of (2 kg)	12 x GN2/1	12 kg/5	60	container on grill	hot air	-	170	20	-
Ę	20 x GN1/1	6 kg/10	60						
	20 x GN2/1	12 pcs/ 10	120						
	6 x GN2/3	3,5 kg/3	10,5						
L	6 x GN1/1	5 kg/3	15	grill and					
t beef 3 kg)	10 x GN1/1	5 kg/5	25	grill and stainless steel	hot air		160	65	50
Roast k (2,5-3	12 x GN2/1	10 kg/5	50	container on bottom	HUL dll		100	05	50
	20 x GN1/1	5 kg/10	50	on bottom					
	20 x GN2/1	10 kg/ 10	100						
No.	6 x GN2/3	2,5 kg/3	7,5						
ef (co s lid)	6 x GN1/1	4 kg/3	12	stainless steel container 100mm					
braised beef (c with sause a pan with lid)	10 x GN1/1	4 kg/5	20		combi		160	70	75
raise with s	12 x GN2/1	8 kg/5	40		combi	-	160	70	75
Sliced braised beef (cook with sause in a pan with lid)	20 x GN1/1	4 kg/10	40						
S	20 x GN2/1	8 kg/10	80						



Food	Combi oven size	1 GN capacity / number of GN	Total capacity	GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
	6 x GN2/3	2 pc/2	4						
q	6 x GN1/1	4 pc/2	8						
in of lam (rare)	10 x GN1/1	4 pc/4	16	grill and stainless	bak sin		150	25	60
Loin of lamb (rare)	12 x GN2/1	8 pc/4	32	steel container on bottom	hot air	-	150	25	60
	20 x GN1/1	4 pc/10	40	on bottom					
	20 x GN2/1	8 pcs/ 10	80						
	6 x GN2/3	1,8 kg/2	3,6						
0	6 x GN1/1	3,6 kg/2	7,2						
laml kg)	10 x GN1/1	3,6 kg/4	14,4	stainless steel	combi	F0	160	00	70
Leg of lamb (1,8 kg)	12 x GN2/1	7,2 kg/4	28,8	container 40mm	combi	50	160	80	78
_	20 x GN1/1	3,6 kg/10	36						
	20 x GN2/1	7,2 kg/ 10	72						
	6 x GN2/3	4,7 kg/3	14,1	grill and stainless steel					
ea	6 x GN1/1	7 kg/3	21						
Best end of veal	10 x GN1/1	7 kg/5	35			F0	150	120	75
it enc	12 x GN2/1	14 kg/5	70	container on bottom	combi	50	150	120	75
Bes	20 x GN1/1	7 kg/10	70	on bottom					
	20 x GN2/1	6 kg/ 10	60						
	6 x GN2/3	2 pc/3	6						
_	6 x GN1/1	3 pc/3	9						
f veal kg)	10 x GN1/1	3 pc/5	15	grill and stainless		70	150	110	00
Shin of v (2,5 kg	12 x GN2/1	6 pc/5	30	steel container on bottom	combi	70	150	110	80
V	20 x GN1/1	3 pc/10	30	OH DOLLOH					
	20 x GN2/1	6 pc/10	60						
	6 x GN2/3	10 pc/3	30						
Rolled stuffed veal (200 gr. wraped in al. foil)	6 x GN1/1	15 pc/3	45	grill and stainless steel container on bottom					
iffed wrap foil)	10 x GN1/1	15 pc/5	75		aha		75	25	70
ed stu 0 gr. in al.	12 x GN2/1	30 pc/5	150		steam	-	75	25	70
Rolle (20	20 x GN1/1	15 pc/10	150						
	20 x GN2/1	30 pc/10	300						



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
Saddle of hare (0,8 kg)	6 x GN2/3 6 x GN1/1 10 x GN1/1 12 x GN2/1 20 x GN1/1 20 x GN2/1 6 x GN2/3	2 pc/3 4 pc/3 4 pc/5 8 pc/5 4 pc/10 8 pcs/ 10 2 pc/3	6 12 20 40 40 80	stainless steel container 40mm	combi	30	160	-	65
Stuffed saddle of rabbit	6 x GN1/1 10 x GN1/1 12 x GN2/1 20 x GN1/1 20 x GN2/1	4 pc/3 4 pc/5 8 pc/5 4 pc/10 8 pcs/ 10	12 20 40 40 80	grill and stainless steel container on bottom	combi	50	150	60	70
Smoked meat	6 x GN2/3 6 x GN1/1 10 x GN1/1 12 x GN2/1 20 x GN1/1 20 x GN2/1	4 kg/3 8 kg/3 8 kg/5 8 kg/10 8 kg/10 16 kg/10	12 24 40 80 80 160	perforated stainless steel container 100mm	steam	-	99	90	-
Ham (8 kg)	6 x GN2/3 6 x GN1/1 10 x GN1/1 12 x GN2/1 20 x GN1/1 20 x GN2/1	1 pc/2 1 pc/2 1 pc/3 2 pc/3 1 pc/6 2 pc/6	2 2 3 6 6	stainless steel container 40mm	steam combi hot air	- 50 -	99 140 140	140 100 72	25 50 70
Stuffed turkey (2,5 kg)	6 x GN2/3 6 x GN1/1 10 x GN1/1 12 x GN2/1 20 x GN1/1 20 x GN2/1	1 pc/1 2 pc/2 2 pc/4 4 pc/4 2 pc/8 4 pc/8	1 4 8 16 16 32	stainless steel container 65mm	combi combi hot air	-	130 160 200	60 20 15	- - -



Food	Combi oven size	1 GN capacity / number of GN		GN type	Cooking type	Mois- ture	Cooking °C	Time min.	Core probe °C
Meat loaf	6 x GN2/3	4 kg/3	12	stainless steel container 65mm					
	6 x GN1/1	8 kg/3	24						
	10 x GN1/1	8 kg/5	40		combi	50	145	30	-
	12 x GN2/1	8 kg/10	80		combi	50	160	30	-
	20 x GN1/1	8 kg/10	80						
	20 x GN2/1	16 kg/10	160						
Loin of venison (rare)	6 x GN2/3	4 pc/3	12	grill and stainless steel container on bottom					
	6 x GN1/1	6 pc/3	18						
	10 x GN1/1	6 pc/5	30		hot air		160	70	75
	12 x GN2/1	12 pc/5	60		hot air	-	160	70	/5
	20 x GN1/1	6 pc/10	60						
	20 x GN2/1	12 pc/10	120						



retigo®

CHEF'S GUIDE

for easy operation of Retigo Vision combi ovens

RETIGO

Lan 2310, PS 43 CZ 756 64 Rožnov pod Radhoštěm tel.: +420 571 665 511 fax: +420 571 665 554 e-mail: sales@retigo.com

www.retigo.com